



C50/C75

Combustion Analyzer

Now You REALLY CAN WORK SMARTER!

- Unique DMM Style Rotary Selector
- Protective Boot w/ Integral Magnet
- Real Time Clock
- CO Readings to 1ppm
- Large 2 Line Backlit Display
- Infrared Printer Port
- **Measures:**
 - Flue temperature
 - Oxygen
 - Carbon Monoxide (CO)*
- **Calculates:**
 - Carbon dioxide
 - Gross/net efficiency
 - Excess air
 - CO air free*

*C75 Only



C50/C75 • Combustion Analyzer

Specifications



Parameter	Resolution	Accuracy	Range
Temperature			
Flue Temperature	1°F/°C	±5°F (2°C) ±0.3% reading	32-1112°F (0-600°C)
Gas Measurement			
Oxygen	0.1%	±0.2% ¹	0-21%
Carbon Monoxide (C75 only)	1ppm	±10ppm<100ppm ¹ ±5% of reading	0-1000ppm
Carbon Dioxide ²	0.1%	±0.3% reading	0-30%
Efficiency ²	0.1%	±1.0% reading	0-99.9%
Excess Air ²	0.1%	±0.2%	0-250%
Pre-programmed Fuels	Natural Gas, Light Oil, Propane, Butane, LPG		
Dimensions			
Weight	2.2lb (1kg)		
Handset	8" (200mm) x 2" (45mm) x 3.5" (90mm)		
Probe	L 12" (300mm) x Dia 0.25" (6mm) with 8" (200mm) long stainless steel shaft, type K thermocouple and 9ft (3m) long neoprene hose		
Ambient Operating Range	32-104°F (0°C to 40°C) 10% to 90% RH non-condensing		
Battery Life	Standard "AA" (x4) >8 hours continuous use		
AC adapter (optional)	Input: 110V AC/220V AC nominal Output: 9V DC regulated 500mA minimum		

Optional Accessories:

Infrared Printer	KMIRP2
Soft Carrying Case	AC73
AC Adapter	AACA4
Smoke Pump Test Kit	SPT1

The C50/C75 enables HVAC professionals to accurately test and service all residential combustion appliances. The extra large backlit LCD displays two parameters at one time. Easily choose the desired combustion parameter with the rotary selector. The optional printer allows you to print your readings to document your test results.

For technicians who are required to diagnose and repair heating equipment, the C75 also has a CO sensor.



Distributed By:



1-800-547-5740 • Fax: (503) 643-6322
 Service: (800) 308-7709
 www.ueitest.com • Email: info@ueitest.com

IN CANADA

Vancouver: Phone: (604) 278-4511 • Fax: (604) 278-8299
 Toronto: Phone: (905) 238-6760 • Fax: (905) 238-5117

IN EUROPE

Phone: +44 1707 375550 • Fax: +44 1707 393277

